


> home : > about : > feedback : > login **US Patent & Trademark Office**



Search Results

Search Results for: [neural and neuron and time and pulse and discrimination] Found 6 of 125,779 searched.

Search within Results	
> Search Help/Tips	
Sort by: Title Publication Publication Date Score Binder	
Results 1 - 6 of 6 short listing	
Progress in Picture Processing: 196971 Azriel Rosenfeld ACM Computing Surveys (CSUR) June 1973 Volume 5 Issue 2	80%
Health aspects of wireless communication: auditory perception of microwaves hearing microwaves James C. Lin ACM SIGMOBILE Mobile Computing and Communications Review April 2002 Volume 6 Issue 2	77%
A modular software real-time brain wave detection system A. A. Arroyo , D. G. Childers Proceedings of the 20th annual Southeast regional conference April 1982 The philosophy behind the modular design and implementation of a computer-drive facility to collect and process EEG records is illustrated. The software modules are stand-alone programs in their own right that can externally be reconfigured into the components to solve a more complex problem. As such, they behave like the "commands" of a command line interpreter (CLI). They are easily invoked by the us of operating system macros without increasing the demands on the system operator By the use	e se
4 Using artificial neural nets to predict academic performance Al Cripps Proceedings of the 1996 ACM symposium on Applied Computing February 1996	77%
5 VC dimension of an integrate-and-fire neuron model Anthony M. Zador , Barak A. Pearlmutter Proceedings of the ninth annual conference on Computational learning theory	77%

January 1996

6 Supervised adaptive resonance networks

77%

R. S. Baxter

Proceedings of the conference on Analysis of neural network applications May

short listing Results 1 - 6 of 6

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publications/Services Standards Conferences Careers/Jobs




	Velcoms United States Palent and Trademark Office	5
Help FAQ Terms IEE	E Peer Review Quick Links	» Se:
Wesome to IEEE Apions Home - What Can I Access? - Log-out	Your search matched 1 of 990987 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Rele Descending order. Refine This Search:	
Tables of Contents	You may refine your search by editing the current search expression or new one in the text box.	enter
O- Journals & Magazines	neural and neuron and time and pulse and discrimin Search	
O- Conference Proceedings	Check to search within this result set	
O- Standards	Results Key: JNL = Journal or Magazine CNF = Conference STD = Standard	
O- By Author O- Basic O- Advanced	1 Combining structural and spectral information for discrimination pulse coupled neural networks in multispectral and hyperspectral Cooley, J.H.; Cooley, T.W.; Geoscience and Remote Sensing, 1997. IGARSS '97. 'Remote Sensing - Market Sensing -	al dat - A Sci
Momba Savikas O- Join IEEE O- Establish IEEE Web Account	Vision for Sustainable Development'., 1997 IEEE International, Volume Aug. 1997 Pages:1666 - 1668 vol.4 [Abstract] [PDF Full-Text (336 KB)] IEEE CNF	;; 4 , :
O- Access the IEEE Member Digital Library		

New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No. Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top.

Copyright © 2004 IEEE - All rights reserved



> home : > about : > feedback : > login
US Patent & Trademark Office



Search Results

Search Results for: [time AND period AND pulse AND discrimination AND neural AND interactive AND iterate]
Found 1 of 125,779 searched.

Search within Results				
			> Advanced Search	
> Search Help/Tips				
Sort by: Title Publication	n Publication Date	Score	Sinder	
Results 1 - 1 of 1 short	listing			
2002 Automatic generation management and bro summarization based understanding of video content, this fr	tion Jiang Zhang , Mingjing th ACM international continuation of video summarization owsing. In this paper, we led to the modeling of viewer content, this framework takes advanta	Li conference is one of e present a wer's atter ork takes a ge of com	A user attention mode the key techniques in vide a generic framework of vintion. Without fully semand advantage of understanding putational attention mode o summarization. A set of	nber deo deo ntic ng of els and

Results 1 - 1 of 1 short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

L Number	Hits	Search Text	DB	Time stamp
-	2	("5751571").PN.	USPAT;	2004/01/01 08:59
		(• • • • • • • • • • • • • • • • • • •	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12	(5751571, 6134510, 6363333, 6226549, 6266624,	USPAT;	2003/12/26 10:52
		"6117074").pn.	US-PGPUB;	' '
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	27	deco-gustavo.in.	USPAT;	2003/12/31 18:44
			US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3	schurmann-bernd.in.	USPAT;	2003/12/31 18:44
			US-PGPUB;	,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	93	neural and pulse\$1 and discrimination and maxim\$4 and	USPAT;	2004/01/01 10:16
]	interactive\$2	US-PGPUB;	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		111010011042	EPO; JPO;	<u> </u>
			DERWENT;	
			IBM_TDB	
_	221	neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 09:29
		interactive\$2 and neuron\$1	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	54	neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:07
		interactive\$2 and neuron\$1 and iterat\$3	US-PGPUB;	' '
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	54	neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:08
		interactive\$2 and neuron\$1 and iterat\$3 and (time)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	54	neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 11:14
		interactive\$2 and neuron\$1 and iterat\$3 and (time or	US-PGPUB;	.
		temporal)	EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
-	27	neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:10
		interactive\$2 and neuron\$1 and iterat\$3 and ((time adj	US-PGPUB;	
		span) or temporal)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	22	neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:17
		interactive\$2 and neuron\$1 and iterat\$3 and ((time adj	US-PGPUB;	
		span) or temporal) and end\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	18	neural and pulse\$1 and discrimination and maxim\$4 and	USPAT;	2004/01/01 10:13
]		interactive\$2 and electroencephalogram	US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
			IBM_TDB	

- 10 neural and pulse\$1 and discrimination and maxim\$4 and interactive\$2 and electroencephalogram and gradient US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/01 10:15
DERWENT; IBM_TDB	
- 8 neural and pulse\$1 and discrimination and maxim\$4 and USPAT;	2004/01/01 10:16
interactive\$2 and electroencephalogram not gradient and US-PGPUB;	
optimi\$6 EPO; JPO;	
DERWENT;	
IBM_TDB	
o (neural and pulse\$1 and discrimination and maxim\$4 and USPAT;	2004/01/01 10:16
interactive\$2 and electroencephalogram not gradient and US-PGPUB;	
optimi\$6) and alopex EPO; JPO;	
DERWENT;	
IBM_TDB - 0 neural and pulse\$1 and discrimination and maxim\$4 and USPAT;	2004/01/01 10:16
	2004/01/01 10.10
interactive\$2 and alopex US-PGPUB; EPO; JPO;	
DERWENT;	
IBM_TDB	
- 1 neural and pulse\$1 and discriminat\$3 and maxim\$4 and USPAT;	2004/01/01 10:43
interactive\$2 and neuron\$1 and iterat\$3 and ((time adj US-PGPUB;	
span) or temporal) and end\$3 and electroencephalogram EPO; JPO;	
not gradient and optimi\$6 DERWENT;	
IBM_TDB	
- 39 alopex USPAT;	2004/01/01 10:28
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 7 alopex and probability USPAT;	2004/01/01 10:28
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB - 2 (alopex and probability) and classification USPAT;	2004/01/01 10:28
- 2 (alopex and probability) and classification USPAT; US-PGPUB;	2004/01/01 10.20
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 1 (neural and pulse\$1 and discriminat\$3 and maxim\$4 and USPAT;	2004/01/01 10:44
interactive\$2 and neuron\$1 and iterat\$3 and ((time adj US-PGPUB;	' '
span) or temporal) and end\$3 and electroencephalogram EPO; JPO;	
not gradient and optimi\$6) and classif\$7 DERWENT;	
IBM_TDB	
- 1 ((neural and pulse\$1 and discriminat\$3 and maxim\$4 and USPAT;	2004/01/01 10:44
interactive\$2 and neuron\$1 and iterat\$3 and ((time adj US-PGPUB;	
span) or temporal) and end\$3 and electroencephalogram EPO; JPO;	
not gradient and optimi\$6) and classif\$7) and signal DERWENT;	
IBM_TDB	2004/01/01 10:22
- 0 (((neural and pulse\$1 and discriminat\$3 and maxim\$4 and USPAT; interactive\$2 and neuron\$1 and iterat\$3 and ((time adj US-PGPUB;	2004/01/01 10:33
span) or temporal) and electroencephalogram (Clime add Span) or temporal) and electroencephalogram (EPO; JPO;	
not gradient and optimi\$6) and classif\$7) and signal) and DERWENT;	
processor IBM_TDB	
- 1 (((neural and pulse\$1 and discriminat\$3 and maxim\$4 and USPAT;	2004/01/01 10:45
interactive\$2 and neuron\$1 and iterat\$3 and ((time adj US-PGPUB;	
span) or temporal) and end\$3 and electroencephalogram EPO; JPO;	
not gradient and optimi\$6) and classif\$7) and signal) and DERWENT;	
computer IBM_TDB	

-	1	neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:46
		interactive\$2 and neuron\$1 and iterat\$3 and ((time adj	US-PGPUB;	
		span) or temporal) and end\$3 and electroencephalogra\$2	EPO; JPO;	
		not gradient and optimi\$6	DERWENT;	
			IBM_TDB	
_	1	(neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:44
		interactive\$2 and neuron\$1 and iterat\$3 and ((time adj	US-PGPUB;	
		span) or temporal) and end\$3 and electroencephalogra\$2	EPO; JPO;	
		not gradient and optimi\$6) and classif\$7	DERWENT;	
			IBM_TDB	
-	1	((neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:45
		interactive\$2 and neuron\$1 and iterat\$3 and ((time adj	US-PGPUB;	
		span) or temporal) and end\$3 and electroencephalogra\$2	EPO; JPO;	
		not gradient and optimi\$6) and classif\$7) and signal	DERWENT;	
	ĺ		IBM_TDB	
-	1	(((neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:45
	1	interactive\$2 and neuron\$1 and iterat\$3 and ((time adj	US-PGPUB;	
		span) or temporal) and end\$3 and electroencephalogra\$2	EPO; JPO;	
		not gradient and optimi\$6) and classif\$7) and signal) and	DERWENT;	
		computer	IBM_TDB	
-	1	neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:46
		interactive\$2 and neuron\$1 and iterat\$3 and ((time adj	US-PGPUB;	
		span) or temporal) and end\$3 and electroencephalogra\$4	EPO; JPO;	
		not gradient and optimi\$6 and classif\$7 and signal and	DERWENT;	
		computer	IBM_TDB	
-	39	(neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:58
		interactive\$2 and neuron\$1 and iterat\$3 and (time or	US-PGPUB;	
		temporal)) and train\$3	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25	((neural and pulse\$1 and discriminat\$3 and maxim\$4 and	USPAT;	2004/01/01 10:58
		interactive\$2 and neuron\$1 and iterat\$3 and (time or	US-PGPUB;	
		temporal)) and train\$3) and span	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/04/04 44 55
•	284103	time adj (span or period)	USPAT;	2004/01/01 11:07
	[US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	2004/04/04 44 55
-	11	(time adj (span or period)) and (((neural and pulse\$1 and	USPAT;	2004/01/01 11:08
		discriminat\$3 and maxim\$4 and interactive\$2 and neuron\$1	US-PGPUB;	
	1	and iterat\$3 and (time or temporal)) and train\$3) and span)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/04/04 44 22
-	20	(time adj (span or period)) and (neural and pulse\$1 and	USPAT;	2004/01/01 11:08
		discriminat\$3 and maxim\$4 and interactive\$2 and neuron\$1	US-PGPUB;	
		and iterat\$3 and (time or temporal))	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	